SUPPLEMENTAL MATERIAL

Manuscript Title - Review:

Exposure Assessment in Cohort Studies of Childhood Asthma

Authors names:

Victoria H. Arrandale¹, Michael Brauer², Jeffrey R. Brook^{3,1}, Bert Brunekreef⁴, Diane R. Gold⁵, Stephanie J. London⁶, J. David Miller⁷, Halûk Özkaynak⁸, Nola M. Ries⁹, Malcolm R. Sears¹⁰, Frances S. Silverman¹, Timothy K. Takaro¹¹

Author Affiliations:

¹ Dalla Lana School of Public Health, Gage Occupational & Environmental Health Unit, University of Toronto, Canada

² School of Environmental Health, University of British Columbia, Canada

³ Environment Canada, Air Quality Research Division, Toronto, Canada

⁴ Institute for Risk Assessment Sciences, Division of Environmental Epidemiology, Utrecht University, Netherlands

⁵ Department of Environmental Health, Harvard School of Public Health, Boston, USA

⁶ National Institute of Environmental Health Sciences, Research Triangle Park, NC, USA

⁷ College of Natural Sciences, Carleton University, Ottawa, Canada

⁸ US Environmental Protection Agency, Research Triangle Park, NC, USA

⁹ Health Law Institute, University of Alberta, Canada, Faculty of Law & School of Health Information Science, University of Victoria, Canada

¹⁰ Firestone Institute for Respiratory Health, McMaster University, Hamilton, Canada

¹¹ Faculty of Health Sciences, Simon Fraser University, Burnaby, Canada

Corresponding Author:

Jeffrey R. Brook, PhD Environment Canada 4905 Dufferin St. Toronto ON Canada M3H 5T4 Tel. (416) 739-4916 Jeff.Brook@ec.gc.ca

Acknowledgements:

This work was supported by AllerGen NCE Inc. (the Allergy, Genes and Environment Network), a member of the Networks of Centres of Excellence Canada program.

<u>Table of Contents</u>:

Table 1 Examples of environment-related factors/exposures that have been previously	
associated with the development or exacerbation of childhood asthma (not limited to	
cohort studies).	4
Table 2 Overview of the challenges inherent to exposure assessment in cohort studies of	
complex diseases, organized by stage of study	5
Table 3 Overview of exposure information that can potentially be collected using	
questionnaires in cohort studies of childhood asthma and allergies.	6

Table 1 Examples of environment-related factors/exposures that have been previously associated
with the development or exacerbation of childhood asthma (not limited to cohort studies).

with the development or exacerbation of childhoo	od asthma (not limited to cohort studies).
Antibiotic use (Alm et al. 2008; Kozyrskyj et	Atopy (Arshad et al. 2005; Kihlstrom et al.
al. 2007; Kummeling et al. 2007)	2004)
Birth Order/Sibship size (Bernsen et al. 2003;	Birth weight (Gold et al. 1999; Kiechl-
Maitra et al. 2004; Strachan 1989)	Kohlendorfer et al. 2007; Sin et al. 2004)
Breastfeeding, mixed associations (Kramer et	Caesarian section (Renz-Polster et al. 2005;
al. 2007; Oddy 2000; Wright et al. 2000)	Salam et al. 2006)
Chloramines (swimming pools) (Bernard et al. 2006; Bernard et al. 2007)	Diet (Vit D, fish consumption) (Nafstad et al. 2003; Oddy et al. 2004; Romieu et al. 2007; Salam et al. 2005; Willers et al. 2007)
Early childhood infections (Arshad et al. 2005;	Endotoxin (Celedon et al. 2007; Douwes et al.
Gold et al. 1999; Kusel et al. 2007; Kusel et al. 2007; Stein et al. 1999)	2006; Litonjua et al. 2002; Perzanowski et al. 1998; Tavernier et al. 2006)
Environmental tobacco smoke (Arshad et al.	Fireworks smoke exposure (Becker et al.
2005; Kiechl-Kohlendorfer et al. 2007)	2000)
Geography (Cohen et al. 2007; Kiechl- Kohlendorfer et al. 2007)	House dust mite allergens (Arshad et al. 2001; Brussee et al. 2005; Celedon et al. 2001; Sears et al. 1989)
Household cleaners/pesticides (Salam et al. 2004; Sunyer et al. 2005; Sunyer et al. 2006)	Housing characteristics (Emenius et al. 2004)
Indoor PM air pollution (Diette et al. 2007; Gauderman et al. 2005)	Maternal Smoking (Gold et al. 1999; Jaakkola and Gissler 2004; Lannero et al. 2006; Sears et al. 1996)
Mould and moisture (Pekkanen et al. 2007)	Outdoor air pollution, including PM and traffi (Brunekreef and Holgate 2002; Clougherty et al. 2007; Kunzli et al. 2000; Nicolai 2002; Salam et al. 2008)(Brauer et al. 2007 Jerrett et al. 2008)
Outdoor pollen (Kihlstrom et al. 2003)	Parental asthma/atopy (Arshad et al. 2005; Celedon et al. 2001)
Pest Allergens (cockroach, mouse) (Gold et al. 1999; Salam et al. 2004)	Pet allergens (cat, dog) (Lau et al. 2005; Ownby et al. 2002; Polk et al. 2004; Salam et al. 2004; Torrent et al. 2007)
Phthalates (Bornehag et al. 2004; Hoppin et al. 2004)	Race/Ethnicity (Miller 2000)
Socioeconomic status (Almqvist et al. 2005; Bergmann et al. 2000; Erzen et al. 1997)	Stress (Kozyrskyj et al. 2008; Milam et al. 2008; Wright et al. 2002; Wright et al. 2005)

Table 2 Overview of the challenges inherent to exposure assessment in cohort studies of complex diseases, organized by stage of study.

A. Study Development

- wide range of sources or activities contributing to a potentially hazardous exposure
- relatively limited information on which exposures are important
- cost of measuring exposure
- burden detailed exposure characterization can place on a subject
- ethical considerations inherent when measuring exposures in a private residence

B. Measurement and Data Collection

- immense variability in exposure between individuals
- immense variability in exposures over time within individuals
- uncertainty about the importance of chronic vs. short term exposures
- uncertainty about the relevant timing of exposure and windows of susceptibility during development
- lack of specific, quantitative exposure biomarkers
- immense variability in biologically available dose between individuals
- lack of precision and accuracy in environmental exposure measurement, especially as compared with genotype determination.

C. Analysis

- correlation between different exposures as well as repeated exposure measurements
- problem of exposures occurring prior to enrolment in cohort study
- difficulty with interacting exposures and interacting genes

Table 3 Overview of exposure information that can potentially be collected using questionnaires in cohort studies of childhood asthma and allergies.

Housing characteristics

 Age, building materials, ventilation systems, characteristics of below-grade space, renovations, heating and cooking fuel type, backyard pool or spa (chlorine), attached garages and presences of vehicles

Indoor materials

· Vinyl flooring, carpeting, VOC-based finishes and glues, moisture capturing nutrient rich materials (e.g. dry wall)

Microenvironments

• Transit time in traffic, occupational exposures, time spent in indoor swimming pools, exposure to ETS, cooking and other particulate producing habits

Pets & Pests

• Cats, dogs, rodents, cockroaches

Surrounding Environment

- · Vegetation (plants, trees, grasses), traffic levels, industrial and construction presence Consumer products in the home
 - Furniture (component material), blinds, cleaning agents, solvents, electronics, printers, pesticides, herbicides, bedding materials, skin products

Dampness and mould

· Presence, location and extent of damage, moisture evidence

Activities

• Time spend indoors, time spent outdoors, time on floor, frequency of hand-to-mouth contact, storage of toys, sunlight exposure

Socioeconomic factors

· Income, stress

Diet

- Food frequency, method of heating and storage, types of containers used Infections
 - · Viruses, upper respiratory infections

Supplementary References

Alm B, Erdes L, Mollborg P, Pettersson R, Norvenius SG, Aberg N et al. 2008. Neonatal antibiotic treatment is a risk factor for early wheezing. Pediatrics 121(4):697-702; doi: 10.1542/peds.2007-1232.

Almqvist C, Pershagen G, Wickman M. 2005. Low socioeconomic status as a risk factor for asthma, rhinitis and sensitization at 4 years in a birth cohort. Clinical & Experimental Allergy 35(5):612-618.

Arshad SH, Kurukulaaratchy RJ, Fenn M, Matthews S. 2005. Early life risk factors for current wheeze, asthma, and bronchial hyperresponsiveness at 10 years of age. Chest 127(2):502-508.

Arshad SH, Tariq SM, Matthews S, Hakim E. 2001. Sensitization to common allergens and its association with allergic disorders at age 4 years: A whole population birth cohort study. Pediatrics 108(2):E33.

Becker JM, Iskandrian S, Conkling J. 2000. Fatal and near-fatal asthma in children exposed to fireworks. Annals of Allergy, Asthma, & Immunology 85(6 Pt 1):512-513.

Bergmann RL, Edenharter G, Bergmann KE, Lau S, Wahn U. 2000. Socioeconomic status is a risk factor for allergy in parents but not in their children. Clinical & Experimental Allergy 30(12):1740-1745.

Bernard A, Carbonnelle S, de Burbure C, Michel O, Nickmilder M. 2006. Chlorinated pool attendance, atopy, and the risk of asthma during childhood. Environ Health Perspect 114(10):1567-1573.

Bernard A, Carbonnelle S, Dumont X, Nickmilder M. 2007. Infant swimming practice, pulmonary epithelium integrity, and the risk of allergic and respiratory diseases later in childhood. Pediatrics 119(6):1095-1103; doi: 10.1542/peds.2006-3333.

Bernsen RM, de Jongste JC, van der Wouden JC. 2003. Birth order and sibship size as independent risk factors for asthma, allergy, and eczema. Pediatric Allergy & Immunology 14(6):464-469.

Bornehag CG, Sundell J, Weschler CJ, Sigsgaard T, Lundgren B, Hasselgren M et al. 2004. The association between asthma and allergic symptoms in children and phthalates in house dust: A nested case-control study. Environ Health Perspect 112(14):1393-1397.

Brauer M, Hoek G, Smit HA, de Jongste JC, Gerritsen J, Postma DS et al. 2007. Air pollution and development of asthma, allergy and infections in a birth cohort. Eur Respir J 29(5):879-888; doi: 10.1183/09031936.00083406.

Brunekreef B, Holgate ST. 2002. Air pollution and health. Lancet 360(9341):1233-1242; doi: 10.1016/S0140-6736(02)11274-8.

Brussee JE, Smit HA, van Strien RT, Corver K, Kerkhof M, Wijga AH et al. 2005. Allergen exposure in infancy and the development of sensitization, wheeze, and asthma at 4 years. Journal of Allergy & Clinical Immunology 115(5):946-952.

Celedon JC, Milton DK, Ramsey CD, Litonjua AA, Ryan L, Platts-Mills TA et al. 2007. Exposure to dust mite allergen and endotoxin in early life and asthma and atopy in childhood. Journal of Allergy & Clinical Immunology 120(1):144-149.

Celedon JC, Soto-Quiros ME, Silverman EK, Hanson L, Weiss ST. 2001. Risk factors for childhood asthma in costa rica. Chest 120(3):785-790.

Clougherty JE, Levy JI, Kubzansky LD, Ryan PB, Suglia SF, Canner MJ et al. 2007. Synergistic effects of traffic-related air pollution and exposure to violence on urban asthma etiology. Environ Health Perspect 115(8):1140-1146.

Cohen RT, Canino GJ, Bird HR, Shen S, Rosner BA, Celedon JC. 2007. Area of residence, birthplace, and asthma in puerto rican children. Chest 131(5):1331-1338.

Diette GB, Hansel NN, Buckley TJ, Curtin-Brosnan J, Eggleston PA, Matsui EC et al. 2007. Home indoor pollutant exposures among inner-city children with and without asthma. Environ Health Perspect 115(11):1665-1669.

Douwes J, van Strien R, Doekes G, Smit J, Kerkhof M, Gerritsen J et al. 2006. Does early indoor microbial exposure reduce the risk of asthma? the prevention and incidence of asthma and mite allergy birth cohort study. Journal of Allergy & Clinical Immunology 117(5):1067-1073.

Emenius G, Svartengren M, Korsgaard J, Nordvall L, Pershagen G, Wickman M. 2004. Building characteristics, indoor air quality and recurrent wheezing in very young children (BAMSE). Indoor Air 14(1):34-42.

Erzen D, Carriere KC, Dik N, Mustard C, Roos LL, Manfreda J et al. 1997. Income level and asthma prevalence and care patterns. Am J Respir Crit Care Med 155(3):1060-1065.

Gauderman WJ, Avol E, Lurmann F, Kuenzli N, Gilliland F, Peters J et al. 2005. Childhood asthma and exposure to traffic and nitrogen dioxide. Epidemiology 16(6):737-743.

Girgis ST, Marks GB, Downs SH, Kolbe A, Car GN, Paton R. 2000. Thunderstorm-associated asthma in an inland town in south-eastern australia. who is at risk? European Respiratory Journal 16(1):3-8.

Gold DR, Burge HA, Carey V, Milton DK, Platts-Mills T, Weiss ST. 1999. Predictors of repeated wheeze in the first year of life: The relative roles of cockroach, birth weight, acute lower respiratory illness, and maternal smoking. Am J Respir Crit Care Med 160(1):227-236.

Gruber C, Illi S, Lau S, Nickel R, Forster J, Kamin W et al. 2003. Transient suppression of atopy in early childhood is associated with high vaccination coverage. Pediatrics 111(3):e282-8.

Hoppin JA, Ulmer R, London SJ. 2004. Phthalate exposure and pulmonary function. Environ Health Perspect 112(5):571-574.

Jaakkola JJ, Gissler M. 2004. Maternal smoking in pregnancy, fetal development, and childhood asthma. Am J Public Health 94(1):136-140.

Jerrett M, Shankardass K, Berhane K, Gauderman WJ, Kunzli N, Avol E et al. 2008. Traffic-related air pollution and asthma onset in children: A prospective cohort study with individual exposure measurement. Environ Health Perspect 116(10):1433-1438; doi: 10.1289/ehp.10968.

Kiechl-Kohlendorfer U, Horak E, Mueller W, Strobl R, Haberland C, Fink FM et al. 2007. Neonatal characteristics and risk of atopic asthma in schoolchildren: Results from a large prospective birth-cohort study. Acta Paediatrica 96(11):1606-1610.

Kihlstrom A, Lilja G, Pershagen G, Hedlin G. 2003. Exposure to high doses of birch pollen during pregnancy, and risk of sensitization and atopic disease in the child. Allergy 58(9):871-877.

Kihlstrom A, Lilja G, Pershagen G, Hedlin G. 2004. Maternal pollen allergy may be more important than birch pollen exposure during pregnancy for atopic airway disease in the child. Pediatric Allergy & Immunology 15(6):497-505.

Kozyrskyj AL, Ernst P, Becker AB. 2007. Increased risk of childhood asthma from antibiotic use in early life. Chest 131(6):1753-1759.

Kozyrskyj AL, Mai XM, McGrath P, Hayglass KT, Becker AB, Macneil B. 2008. Continued exposure to maternal distress in early life is associated with an increased risk of childhood asthma. American Journal of Respiratory & Critical Care Medicine 177(2):142-147.

Kramer MS, Matush L, Vanilovich I, Platt R, Bogdanovich N, Sevkovskaya Z et al. 2007. Effect of prolonged and exclusive breast feeding on risk of allergy and asthma: Cluster randomised trial. BMJ 335(7624):815.

Kummeling I, Stelma FF, Dagnelie PC, Snijders BE, Penders J, Huber M et al. 2007. Early life exposure to antibiotics and the subsequent development of eczema, wheeze, and allergic sensitization in the first 2 years of life: The KOALA birth cohort study. Pediatrics 119(1):e225-31; doi: 10.1542/peds.2006-0896.

Kunzli N, Kaiser R, Medina S, Studnicka M, Chanel O, Filliger P et al. 2000. Publichealth impact of outdoor and traffic-related air pollution: A european assessment. Lancet 356(9232):795-801; doi: 10.1016/S0140-6736(00)02653-2.

Kusel MM, de Klerk NH, Kebadze T, Vohma V, Holt PG, Johnston SL et al. 2007. Early-life respiratory viral infections, atopic sensitization, and risk of subsequent development of persistent asthma. Journal of Allergy & Clinical Immunology 119(5):1105-1110.

Lannero E, Wickman M, Pershagen G, Nordvall L. 2006. Maternal smoking during pregnancy increases the risk of recurrent wheezing during the first years of life (BAMSE). Respiratory Research 7:3.

Lau S, Illi S, Platts-Mills TA, Riposo D, Nickel R, Gruber C et al. 2005. Longitudinal study on the relationship between cat allergen and endotoxin exposure, sensitization, cat-specific IgG and development of asthma in childhood--report of the German multicentre allergy study (MAS 90). Allergy 60(6):766-773.

Litonjua AA, Milton DK, Celedon JC, Ryan L, Weiss ST, Gold DR. 2002. A longitudinal analysis of wheezing in young children: The independent effects of early life exposure to house dust endotoxin, allergens, and pets. Journal of Allergy & Clinical Immunology 110(5):736-742.

Maitra A, Sherriff A, Strachan D, Henderson J, ALSPAC Study T. 2004. Mode of delivery is not associated with asthma or atopy in childhood. Clinical & Experimental Allergy 34(9):1349-1355.

Milam J, McConnell R, Yao L, Berhane K, Jerrett M, Richardson J. 2008. Parental stress and childhood wheeze in a prospective cohort study. Journal of Asthma 45(4):319-323.

Miller JE. 2000. The effects of race/ethnicity and income on early childhood asthma prevalence and health care use. Am J Public Health 90(3):428-430.

Nafstad P, Nystad W, Magnus P, Jaakkola JJ. 2003. Asthma and allergic rhinitis at 4 years of age in relation to fish consumption in infancy. Journal of Asthma 40(4):343-348.

Nicolai T. 2002. Pollution, environmental factors and childhood respiratory allergic disease. Toxicology 181-182:317-321.

Oddy WH. 2000. Breastfeeding and asthma in children: Findings from a west australian study. Breastfeed Rev 8(1):5-11.

Oddy WH, de Klerk NH, Kendall GE, Mihrshahi S, Peat JK. 2004. Ratio of omega-6 to omega-3 fatty acids and childhood asthma. Journal of Asthma 41(3):319-326.

Ownby DR, Johnson CC, Peterson EL. 2002. Exposure to dogs and cats in the first year of life and risk of allergic sensitization at 6 to 7 years of age. JAMA 288(8):963-972.

Pekkanen J, Hyvarinen A, Haverinen-Shaughnessy U, Korppi M, Putus T, Nevalainen A. 2007. Moisture damage and childhood asthma: A population-based incident case-control study. European Respiratory Journal 29(3):509-515.

Perzanowski MS, Sporik R, Squillace SP, Gelber LE, Call R, Carter M et al. 1998. Association of sensitization to alternaria allergens with asthma among school-age children. J Allergy Clin Immunol 101(5):626-632.

Polk S, Sunyer J, Munoz-Ortiz L, Barnes M, Torrent M, Figueroa C et al. 2004. A prospective study of fel d1 and der p1 exposure in infancy and childhood wheezing. Am J Respir Crit Care Med 170(3):273-278; doi: 10.1164/rccm.200310-1348OC.

Renz-Polster H, David MR, Buist AS, Vollmer WM, O'Connor EA, Frazier EA et al. 2005. Caesarean section delivery and the risk of allergic disorders in childhood. Clinical & Experimental Allergy 35(11):1466-1472.

Romieu I, Torrent M, Garcia-Esteban R, Ferrer C, Ribas-Fito N, Anto JM et al. 2007. Maternal fish intake during pregnancy and atopy and asthma in infancy. Clin Exp Allergy 37(4):518-525; doi: 10.1111/j.1365-2222.2007.02685.x.

Salam MT, Islam T, Gilliland FD. 2008. Recent evidence for adverse effects of residential proximity to traffic sources on asthma. Curr Opin Pulm Med 14(1):3-8.

Salam MT, Li YF, Langholz B, Gilliland FD. 2005. Maternal fish consumption during pregnancy and risk of early childhood asthma. Journal of Asthma 42(6):513-518.

Salam MT, Li YF, Langholz B, Gilliland FD, Children's Health S. 2004. Early-life environmental risk factors for asthma: Findings from the children's health study. Environ Health Perspect 112(6):760-765.

Salam MT, Margolis HG, McConnell R, McGregor JA, Avol EL, Gilliland FD. 2006. Mode of delivery is associated with asthma and allergy occurrences in children. Ann Epidemiol 16(5):341-346.

Sears MR, Herbison GP, Holdaway MD, Hewitt CJ, Flannery EM, Silva PA. 1989. The relative risks of sensitivity to grass pollen, house dust mite and cat dander in the development of childhood asthma. Clin Exp Allergy 19(4):419-424.

Sears MR, Holdaway MD, Flannery EM, Herbison GP, Silva PA. 1996. Parental and neonatal risk factors for atopy, airway hyper-responsiveness, and asthma. Arch Dis Child 75(5):392-398.

Sin DD, Spier S, Svenson LW, Schopflocher DP, Senthilselvan A, Cowie RL et al. 2004. The relationship between birth weight and childhood asthma: A population-based cohort study. Arch Pediatr Adolesc Med 158(1):60-64.

Stein RT, Sherrill D, Morgan WJ, Holberg CJ, Halonen M, Taussig LM et al. 1999. Respiratory syncytial virus in early life and risk of wheeze and allergy by age 13 years. Lancet 354(9178):541-545; doi: 10.1016/S0140-6736(98)10321-5.

Strachan DP. 1989. Hay fever, hygiene, and household size. BMJ 299(6710):1259-1260.

Sunyer J, Torrent M, Garcia-Esteban R, Ribas-Fito N, Carrizo D, Romieu I et al. 2006. Early exposure to dichlorodiphenyldichloroethylene, breastfeeding and asthma at age six. Clinical & Experimental Allergy 36(10):1236-1241.

Sunyer J, Torrent M, Munoz-Ortiz L, Ribas-Fito N, Carrizo D, Grimalt J et al. 2005. Prenatal dichlorodiphenyldichloroethylene (DDE) and asthma in children. Environ Health Perspect 113(12):1787-1790.

Tavernier G, Fletcher G, Gee I, Watson A, Blacklock G, Francis H et al. 2006. IPEADAM study: Indoor endotoxin exposure, family status, and some housing characteristics in english children. Journal of Allergy & Clinical Immunology 117(3):656-662.

Torrent M, Sunyer J, Garcia R, Harris J, Iturriaga MV, Puig C et al. 2007. Early-life allergen exposure and atopy, asthma, and wheeze up to 6 years of age. American Journal of Respiratory & Critical Care Medicine 176(5):446-453.

Willers SM, Devereux G, Craig LC, McNeill G, Wijga AH, Abou El-Magd W et al. 2007. Maternal food consumption during pregnancy and asthma, respiratory and atopic symptoms in 5-year-old children. Thorax 62(9):773-779.

Wright AL, Holberg CJ, Taussig LM, Martinez F. 2000. Maternal asthma status alters relation of infant feeding to asthma in childhood. Adv Exp Med Biol 478:131-137.

Wright RJ, Cohen RT, Cohen S. 2005. The impact of stress on the development and expression of atopy. Curr Opin Allergy Clin Immunol 5(1):23-29.

Wright RJ, Cohen S, Carey V, Weiss ST, Gold DR. 2002. Parental stress as a predictor of wheezing in infancy: A prospective birth-cohort study. Am J Respir Crit Care Med 165(3):358-365.